



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/920,873	08/02/2001	Yorishige Ishii	70801-56345	5108
21874	7590	11/04/2005	EXAMINER	
EDWARDS & ANGELL, LLP			DOAN, JENNIFER	
P.O. BOX 55874			ART UNIT	
BOSTON, MA 02205			PAPER NUMBER	
			2874	

DATE MAILED: 11/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

12

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

101905

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

DECISION ON PETITION UNDER 37 CFR §1.97 FOR CONSIDERATION OF INFORMATION DISCLOSURE STATEMENT

The petition filed under 37 CFR §1.97 for consideration of an information disclosure statement filed on July 6, 2005, after allowance has been:

☐ GRANTED.

☒ DENIED.

☐ It was filed after payment of the issue fee. See 37 CFR §1.97(d)(2).

☐ It was filed after the patent grant.

The petition lacks:

☒ The required fee under 37 CFR §§1.97(d) and 1.17(i)(1).

☐ A proper certification as specified in 37 CFR §§1.97(d) and 1.97(e).

☒ The information disclosure statement has been placed in the file and made of record but will not be considered by the examiner.

☐ IDS CONSIDERED.

The examiner has considered the IDS. See accompanying copy of PTO 1449, or Paper No. 21.

Jennifer Doan

Jennifer Doan
Patent Examiner
October 19, 2005

Rodney Bovernick

Rodney Bovernick
Supervisory Patent Examiner
Technology Center 2800